

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	207	(stor\$3 with installation with (propt\$3 settings))	US-PGPUB	OR	ON	2005/10/17 11:23
L2	42	(stor\$3 with installation with (propt\$3 settings)) with file\$4	US-PGPUB	OR	ON	2005/10/17 11:23
L3	10	2 and (mask\$3)	US-PGPUB	OR	ON	2005/10/17 11:23
S1	418	(install\$5 with (program OR software)) and (install\$5 same variable same values)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:38
S2	46	S1 and (un\$1install\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:10
S3	17	("5428782" "5920867" "5966540" "6006035" "6144960").PN. OR ("6269480").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 11:17
S4	21	un\$1install\$5 and fileset and registry and install\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:18
S5	27	("5577244" "5724503" "5835911" "5860004" "5867713" "5867714" "5881236" "5920868" "5930513" "5987247" "6018747" "6023586" "6051032" "6093215" "6117187" "6131192" "6161218" "6167567" "6202207" "6205527" "6205579" "6269480").PN. OR ("6347397").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 11:21
S6	4273	(install\$5 with (properties OR actions OR characteristics)) same (log\$4 OR record\$3 OR sav\$3 OR stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 12:54
S7	2588	(install\$5 with (properties OR actions OR characteristics)) with (log\$4 OR record\$3 OR sav\$3 OR stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S8	133	S7 and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06

S9	54	S8 and un\$1install\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:06
S10	7	("5737557" "5953532" "6100887" "6182285" "6205432" "6297819").PN. OR ("6360365"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 13:10
S11	2	("5930514" "6301586").PN. OR ("6687902").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 14:33
S12	735	(installation adj (properties OR settings))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:34
S13	54	S12 and (registry OR database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:34
S14	7	S13 and un\$1install\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:46
S15	6	US-626948B1-\$.DID. OR US-5715463-\$.DID. OR US-627267B1-\$.DID. OR US-5966540-\$.DID. OR US-630170B1-\$.DID. OR US-6006035-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50
S16	6	US-626948-\$.DID. OR US-5715463-\$.DID. OR US-627267-\$.DID. OR US-5966540-\$.DID. OR US-630170-\$.DID. OR US-6006035-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50
S17	12	US-6269480-\$.DID. OR US-5715463-\$.DID. OR US-6272677-\$.DID. OR US-5966540-\$.DID. OR US-6301708-\$.DID. OR US-6006035-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:50

S18	19	("5247683" "5684996" "5805897" "5812472" "5862325" "5875247" "5881236" "5930513" "5966540" "6016400" "6023586" "6044373" "6047129" "6131192" "6151708" "6167567" "6205527").PN. OR ("6301708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/10 14:51
S19	19	("5247683" "5684996" "5805897" "5812472" "5862325" "5875247" "5881236" "5930513" "5966540" "6016400" "6023586" "6044373" "6047129" "6131192" "6151708" "6167567" "6205527").PN. OR ("6301708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 15:59
S20	876	717/174-178.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:00
S21	243	S20 and (registry OR database) same (settings OR options OR parameters OR propert\$3 OR characteristics)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/11 16:00
S22	876	717/174-178.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:00
S23	243	S20 and (registry OR database) same (settings OR options OR parameters OR propert\$3 OR characteristics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:01
S24	13	S23 and curtis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:01
S25	230	S23 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:02
S26	59	S25 and un\$1install\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:00

S27	3	("6457076" "6151643").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:01
S28	28	(cross\$1platform OR (cross adj platform)) near2 install\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:03
S29	25	S28 and curtis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:05
S30	21	serializ\$5 and hash\$6 and (installation with (properties OR settings OR characteristics OR options OR parameters)) and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S31	0	installshield.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S32	0	installshield.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S33	0	install\$1shield.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S34	51	install.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:32
S35	19	("5247683" "5684996" "5805897" "5812472" "5862325" "5875247" "5881236" "5930513" "5966540" "6016400" "6023586" "6044373" "6047129" "6131192" "6151708" "6167567" "6205527").PN. OR ("6301708").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:09
S36	7	S35 and registry	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:30

S37	894	717/174-178.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:30
S38	2	S37 and hash\$1table and serializ\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:32
S39	126	hash\$1table and serializ\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:32
S40	119	S39 and software	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:50
S41	96	S40 and install\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:54
S42	63	S41 and (install\$5 with (software OR program OR application))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 17:59
S43	18	serializ\$5 same hash\$1table	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:11
S44	161	hash\$1table and ((program OR software OR application) with install\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:12
S45	41	S44 and (install\$5 with (data OR file\$1set OR propt\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:16
S46	985	(sav\$3 with (install\$5 OR setup) with (settings OR propt\$3 OR conditions OR data OR file\$1set))	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:17
S47	4	S46 and hash\$1table	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:18
S48	24	S46 and hash	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:18
S49	17	("5428782" "5920867" "5966540" "6006035" "6144960").PN. OR ("6269480").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:19
S50	7	("5761499" "5966540" "6006035" "6128730" "6269480" "6332219" "6446255").PN. OR ("6629316").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:19
S51	47	("5247683" "5485601" "5555416" "5564053" "5678042" "5727205" "5754858" "5860012" "5870611").PN. OR ("6006035").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/31 18:22

S52	14161	serializ\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:20
S53	1719	717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:20
S54	49	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:20
S55	6	S54 and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:39
S56	585	(mask\$3 with user with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:43
S57	1	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:42
S58	18	(mask\$3 with password with input) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 10:43
S59	27	("20010027439" "20020013788" "20020032699" "20020178062" "5619635" "5642522" "5794259" "5815657" "5899980" "5960411" "6016484" "6028938" "6101482" "6105008" "6192380" "6199079" "6199762" "6236972" "6260024" "6282522" "6304915" "6341353" "6345256" "6421693" "6499041" "6499042").PN. OR ("6662340").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:46
S60	14	S59 and password	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:51

S61	4543	password and *	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:52
S62	245	password with *	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:52
S63	2	S62 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:51
S64	21	S61 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:52
S65	269	password with mask\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:53
S66	1	S65 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:58
S67	35	mask\$3 same sensitive same data same user same input	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:59
S68	35	mask\$3 same sensitive same data same user same input\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/01 10:59
S69	15	(edit with mask) same (user with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:17
S70	1	(edit with mask) same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:23
S71	74	mask\$3 with input with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:25
S72	38404	mask\$3 with (property OR field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:25
S73	11251	S72 and input\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:26

S74	422	S73 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:26
S75	368	S74 and (user same (input\$4 OR enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:26
S76	343	S75 and software	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:27
S77	13	S76 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:28
S78	306	password with mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:29
S79	4	password with edit\$4 with mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:29
S80	73	(password with (edit\$3 OR input\$4) with (field OR box)) and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:33
S81	0	(hid\$3 with view with password) same user same input\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:34
S82	2106	(stor\$3 same password same data same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:35
S83	176	S82 and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:36

S84	24	S83 and mask\$3 with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:39
S85	55	(password near2 enter\$3) with (hid\$4 OR mask\$3 OR blank\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:01
S86	123	disabl\$3 with password with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:01
S87	65	S86 and (user with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:05
S88	191	((input\$4 OR enter\$3) with password) same *	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:06
S89	201	((input\$4 OR enter\$3) with password) same mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:08
S90	142	(install\$5 with (property OR data) with mask\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:28
S91	9	S90 and (software near2 install\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:07
S92	171	((input\$4 OR enter\$3) with password) same mask\$3 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:16
S93	126	password with mask\$3 with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26

S94	0	"not stor\$3"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S95	0	"not stored"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S96	0	'not stored'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:26
S97	0	"not" with stor\$3 with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:29
S98	55	"not" with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:10
S99	2	S98 and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:29
S10 0	1532	"without" with stor\$3 with (password OR sensitive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:30
S10 1	12	("without" with stor\$3 with (password OR sensitive)) same mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:31
S10 2	37	S100 and ("717".clas. OR "707". clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:33
S10 3	36	("without storing" OR "not storing") same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:55

S10 4	33	("without storing" OR "not storing") with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:56
S10 5	33	("without storing" OR "not storing") with (password OR (sensitive with data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 18:56
S10 6	613	("without" with (sav\$3 OR stor\$3) with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:41
S10 7	7915	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:40
S10 8	5	S106 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:40
S10 9	2	("without saving" near2 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:42
S11 0	18	("without storing" near2 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:48
S11 1	25	("4779224" "4970504" "5222231" "5323146" "5375243" "5430867" "5475839").PN. OR ("5682475").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/11 13:45
S11 2	15	("without storing" with user with input)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:53
S11 3	62363	(filter\$3 OR mask\$3) same (data OR propert\$3) same (stor\$3 OR sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:57

S11 4	269	S113 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:57
S11 5	110	S114 and (install\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:57
S11 6	59	S115 and (user with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:08
S11 7	2011	(installation near2 (property OR parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:01
S11 8	4	S117 and ((filter\$3 OR mask\$3) with (propt\$3 OR parameter) with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:03
S11 9	22	S117 and ((filter\$3 OR mask\$3 OR remov\$3 OR delet\$3) with (propt\$3 OR parameter) with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 12:54
S12 0	18	S119 not S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 14:57
S12 1	3019	(user same select\$3 same (options OR properties) same (sav\$3 OR stor\$3) same (file OR dataset OR fileset OR data\$1file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:08
S12 2	137	S121 and S107	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:09
S12 3	63	S122 and install\$5 and (user with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:09

S12 4	261	717/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:27
S12 5	0	717/174-178.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 16:18
S12 6	0	717/174.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:29
S12 7	354	717/174.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:29
S12 8	23	S127 and (stor\$3 with install\$5 with (propert\$3 OR parameter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:33
S12 9	0	(installation near operation) same record\$3 same exclud\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:34
S13 0	166	(installation near operation) same record\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:34
S13 1	9	S130 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:43
S13 2	41	installation with property with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:42
S13 3	683	(install\$5 adj data) with (stor\$3 OR sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:43

S13 4	29	S133 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:45
S13 5	155	installation adj database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:45
S13 6	10	S135 and (without with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 15:46
S13 7	913	717/174-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 10:15
S13 8	12	717/168-178.ccls. and ((filter\$3 OR mask\$3 OR remov\$3 OR delet\$3) with (propt\$3 OR parameter) with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:10
S13 9	163	717/168-178.ccls. and (configuration with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:20
S14 0	117	S139 and installation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:20
S14 1	1	717/168-178.ccls. and ((configuration with parameters) same (without with (stor\$3 OR sav\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:32
S14 2	0	"method to provide password security"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:51
S14 3	129	(without with storing with password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:52
S14 4	1	(without with storing with password)	IBM_TDB	OR	ON	2005/02/14 13:52

S14 5	9308	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:08
S14 6	68090	(filter\$3 OR mask\$3) same (data OR propt\$3) same (stor\$3 OR sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:08
S14 7	328	S146 and S145	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:08
S14 8	138	S147 and (install\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:08
S14 9	81	S148 and (user with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:10
S15 0	0	"not storing"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:14
S15 1	0	"not" adj storing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:15
S15 2	502	no\$1 adj storing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:15
S15 3	2	(no\$1 adj storing) with install\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:16
S15 4	12	(no\$2 adj storing) with install\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:21

S15 5	0	"not".m/c. adj storing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:22
S15 6	5	(without near2 storing) with install\$5 with (propt\$3 sett\$4 option choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:23
S15 7	8	(without near2 (sav\$3 storing)) with install\$5 with (propt\$3 sett\$4 option choice)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:24
S15 8	3	S157 not S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:57
S15 9	7	(discard\$3 with installation with (setting property option))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:57
S16 0	56	"not" with stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:10